

Calibre Mining Drill Results Released June 8, 2021

Libertad Exploration Drilling

Mine Site	Drill Hole ID	Vein System	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)	Ag (g/t)
Libertad	JB-20-532	Jabali Zone IV	0.0	52.5	52.5		NS	NS
			52.5	55.5	3.0		0.02	0.3
			55.5	144.9	89.4		NS	NS
			144.9	317.8	172.9		0.00	0.1
			317.8	386.1	68.4		NS	NS
			386.1	403.1	17.0		0.01	1.1
			403.1	404.1	1.0	0.9	2.00	3.2
			404.1	434.6	30.5		0.03	1.6
Libertad	JB-21-534	Jabali Zone I	0.0	125.4	125.4		NS	NS
			125.4	209.0	83.7		0.05	1.5
			209.0	210.0	1.0		0.77	9.8
			210.0	213.0	3.0	1.9	1.77	23.0
			213.0	215.4	2.4		0.47	5.3
Libertad	JB-21-535	Jabali Zone I	0.0	62.6	62.6		NS	NS
			62.6	108.4	45.9		0.03	0.7
			108.4	114.4	6.0		0.24	4.5
			114.4	120.4	6.0	4.2	1.94	7.7
			<i>114.4</i>	<i>115.4</i>	<i>1.0</i>		<i>4.77</i>	<i>9.0</i>
			<i>115.4</i>	<i>117.4</i>	<i>2.0</i>		<i>0.45</i>	<i>11.0</i>
			<i>117.4</i>	<i>120.4</i>	<i>3.0</i>		<i>1.98</i>	<i>5.1</i>
			120.4	127.4	7.0		0.08	3.0
			127.4	130.4	3.0		1.33	2.8
			130.4	133.4	3.0		0.15	4.6
		133.4	138.4	5.0	3.4	1.75	12.5	
		<i>133.4</i>	<i>137.4</i>	<i>4.0</i>		<i>0.98</i>	<i>10.3</i>	
		<i>137.4</i>	<i>138.4</i>	<i>1.0</i>		<i>4.80</i>	<i>21.1</i>	
		138.4	142.4	4.0		0.44	6.5	
		142.4	150.4	8.0	5.3	3.07	23.4	
		<i>142.4</i>	<i>144.4</i>	<i>2.0</i>		<i>1.00</i>	<i>16.1</i>	
		<i>144.4</i>	<i>149.4</i>	<i>5.0</i>		<i>4.17</i>	<i>27.9</i>	
		<i>149.4</i>	<i>150.4</i>	<i>1.0</i>		<i>1.75</i>	<i>15.6</i>	
		150.4	160.9	10.5		0.90	6.9	
		160.9	166.9	6.0		0.14	3.1	
166.9	175.2	8.3		NS	NS			
Libertad	RS-21-071	Rosario	0.0	85.9	85.9		NS	NS
			85.9	98.9	13.0		0.01	0.2
			98.9	127.9	29.0		NS	NS
			127.9	140.9	13.0		0.05	1.3
			140.9	160.0	19.1		NS	NS
Libertad	RS-21-074	Rosario	0.0	13.0	13.0		0.01	0.3
			13.0	85.4	72.4		NS	NS
			85.4	113.8	28.4		0.01	0.5
			113.8	141.7	27.9		NS	NS
Libertad	RS-21-075	Rosario	0.0	75.5	75.5		0.03	0.8
			75.5	76.2	0.7	0.5	3.82	13.0
			76.2	80.2	4.0		0.01	0.2

Mine Site	Drill Hole ID	Vein System	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)	Ag (g/t)
			80.2	130.5	50.3		NS	NS
			130.5	179.6	49.1		0.03	8.5
			179.6	187.5	7.9		NS	NS
Libertad	RS-21-077	Rosario	0.0	4.9	4.9		NS	NS
			4.9	21.9	17.0		0.01	1.1
			21.9	44.7	22.8		NS	NS
			44.7	57.5	12.8		0.02	0.2
			57.5	88.4	30.9		NS	NS
			88.4	107.5	19.2		0.02	0.3
			107.5	109.3	1.8	1.6	1.51	59.6
			109.3	157.0	47.7		0.02	0.1
Libertad	RS-21-078	Rosario	0.0	3.1	3.1		NS	NS
			3.1	61.7	58.7		0.02	1.1
			61.7	82.8	21.1		NS	NS
			82.8	86.8	4.0		0.01	0.7
			86.8	87.8	1.0	0.8	1.20	2.4
			87.8	126.8	39.0		0.05	0.3
			126.8	131.1	4.3		NS	NS
Libertad	RS-21-079	Rosario	0.0	118.1	118.1		0.01	0.8
			118.1	129.5	11.4		NS	NS
Libertad	RS-21-081	Rosario	0.0	39.6	39.6		NS	NS
			39.6	71.1	31.6		0.02	0.2
			71.1	72.1	1.0	0.8	1.47	0.9
			72.1	80.8	8.7		0.02	0.4
			80.8	105.2	24.3		NS	NS
Libertad	RS-21-081	Rosario	0.0	39.6	39.6		NS	NS
			39.6	71.1	31.6		0.02	0.2
			71.1	72.1	1.0	0.8	1.47	0.9
			72.1	80.8	8.7		0.02	0.4
			80.8	105.2	24.3		NS	NS
Libertad	VN-21-026	Volcán	0.0	55.7	55.7		0.01	0.5
			55.7	61.4	5.7		0.24	1.1
			61.4	66.9	5.6	5.4	11.37	8.8
		<i>includes</i>	61.4	63.2	1.9		0.69	0.7
			63.2	64.9	1.7		34.89	10.8
			64.9	66.9	2.0		0.90	14.4
			66.9	114.3	47.4		0.15	0.5
Libertad	VN-21-027	Volcán	0.0	33.9	33.9		NS	NS
			33.9	144.1	110.2		0.02	0.3
			144.1	149.5	5.4		0.35	2.0
			149.5	152.5	3.0	3.0	0.91	2.7
			152.5	155.1	2.6		0.35	0.7
			155.1	218.7	63.6		0.04	0.5
Libertad	VN-21-028	Volcán	0.0	6.3	6.3		NS	NS
			6.3	173.0	166.7		0.05	0.6
			173.0	175.8	2.9	2.8	0.71	1.5
			175.8	232.0	56.2		0.06	0.6
Libertad	VN-21-029	Volcán	0.0	23.6	23.6		NS	NS
			23.6	138.7	115.1		0.03	0.3
			138.7	139.7	1.0	1.0	1.17	2.1
			139.7	194.6	54.9		0.04	0.5

Mine Site	Drill Hole ID	Vein System	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)	Ag (g/t)
Libertad	VN-21-030A	Volcán <i>includes</i>	0.0	15.5	15.5		NS	NS
			15.5	76.9	61.4		0.02	0.5
			76.9	78.7	1.8	1.7	9.26	4.0
			76.9	77.9	1.0		14.90	6.0
			77.9	78.7	0.8		1.74	1.3
			78.7	91.4	12.8		0.30	0.7
			91.4	160.2	68.7		0.04	0.6
			160.2	162.2	2.0	1.9	2.41	2.5
162.2	210.3	48.2		0.03	0.8			
Libertad	VN-21-032	Volcán <i>includes</i>	0.0	15.2	15.2		NS	NS
			15.2	63.3	48.1		0.08	1.1
			63.3	67.2	3.9		0.25	1.3
			67.2	74.0	6.8	6.2	2.37	2.5
			67.2	72.0	4.8		1.63	2.7
			72.0	74.0	2.0		4.16	2.2
			74.0	77.4	3.4		0.49	0.7
			77.4	84.2	6.9		0.05	0.7
84.2	85.5	1.3	1.2	1.27	1.0			
85.5	89.5	4.0		0.01	0.2			
89.5	105.2	15.7		NS	NS			
Libertad	TR-21-029	Tranca	0.0	172.7	172.7		NS	NS
			172.7	174.2	1.5		0.01	1.1
			174.2	178.2	4.0		0.70	7.3
			178.2	217.8	39.6		0.02	0.6
Libertad	TR-21-030	Tranca	0.0	38.4	38.4		NS	NS
			38.4	63.0	24.6		0.06	0.5
			63.0	65.5	2.5	1.4	1.27	4.7
			65.5	68.5	3.0		0.22	1.5
68.5	71.5	3.0		0.09	0.7			
Libertad	TR-21-031	Tranca <i>includes</i>	0.0	102.1	102.1		NS	NS
			102.1	104.1	2.0		0.01	0.3
			104.1	105.1	1.0		1.41	1.3
			105.1	107.1	2.0		0.06	0.5
			107.1	115.1	8.0	4.1	3.27	5.3
			107.1	108.1	1.0		1.01	3.6
			108.1	110.1	2.0		6.00	5.7
			110.1	115.1	5.0		2.63	5.5
115.1	118.1	3.0		0.04	0.8			
118.1	146.3	28.2		NS	NS			
Libertad	TR-21-032	Tranca	0.0	29.1	29.1		NS	NS
			29.1	54.3	25.2		0.14	0.4
			54.3	55.3	1.0	0.5	3.50	2.8
			55.3	68.6	13.3		0.35	2.1
			68.6	79.1	10.5	5.8	1.80	15.8
			79.1	95.6	16.5		0.06	0.7
95.6	128.0	32.5		NS	NS			
Libertad	TR-21-033	Tranca	0.0	146.1	146.1		NS	NS
			146.1	156.1	10.0		0.05	0.7
			156.1	160.1	4.0		0.62	5.4
			160.1	163.1	3.0		0.16	5.3
			163.1	167.1	4.0	3.1	0.94	4.2

Mine Site	Drill Hole ID	Vein System	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)	Ag (g/t)
			167.1	178.3	11.2		0.01	0.2
			178.3	199.6	21.3		NS	NS
Libertad	TR-21-034	Tranca	0.0	96.0	96.0		NS	NS
			96.0	108.0	12.0		0.10	1.2
			108.0	152.4	44.4		NS	NS
			152.4	154.4	2.0		0.06	1.3
			154.4	157.4	3.0	2.1	1.35	4.9
			157.4	191.5	34.1		0.07	0.4
			191.5	195.1	3.6		NS	NS
Libertad	TR-21-035	Tranca	0.0	126.7	126.7		NS	NS
			126.7	131.7	5.0		0.13	0.7
			131.7	137.5	5.7	4.4	1.11	2.9
		<i>includes</i>	131.7	132.7	1.0		3.20	2.0
			132.7	136.7	4.0		0.54	3.3
			136.7	137.5	0.7		1.41	2.3
			137.5	146.6	9.1		0.09	0.7
			146.6	166.1	19.6		NS	NS
Libertad	TR-21-036	Tranca	0.0	38.1	38.1		NS	NS
			38.1	83.7	45.6		0.01	0.2
			83.7	84.7	1.0	0.9	1.28	4.5
			84.7	90.6	6.0		0.13	1.6
			90.6	100.6	10.0		NS	NS
Libertad	TR-21-037	Tranca	0.0	33.2	33.2		NS	NS
			33.2	34.2	1.0		0.02	0.3
			34.2	35.2	1.0	0.9	1.72	7.7
			35.2	36.2	1.0		0.00	0.2
			36.2	76.4	40.2		NS	NS
			76.4	108.2	31.8		0.05	0.4
			108.2	123.4	15.2		NS	NS
Libertad	TR-21-038	Tranca	0.0	77.1	77.1		NS	NS
			77.1	95.1	18.0		0.01	0.3
			95.1	96.1	1.0	0.8	1.52	4.0
			96.1	115.8	19.7		0.03	0.5
Libertad	TR-21-039	Tranca	0.0	38.9	38.9		NS	NS
			38.9	41.9	3.0		0.31	2.8
			41.9	47.6	5.8	2.8	16.78	15.0
		<i>includes</i>	41.9	44.9	3.0		4.37	10.8
			44.9	46.7	1.9		27.71	16.9
			46.7	47.6	0.9		35.70	24.9
			47.6	77.7	30.1		0.02	0.3
			77.7	85.3	7.6		NS	NS
Libertad	TR-21-040	Tranca	0.0	62.6	62.6		NS	NS
			62.6	68.6	6.0		0.01	0.9
			68.6	71.6	3.1	2.4	2.78	4.5
			71.6	73.6	2.0		0.54	1.5
			73.6	79.7	6.1		0.01	0.3
			79.7	94.5	14.8		NS	NS
Libertad	TR-21-041	Tranca	0.0	48.7	48.7		NS	NS
			48.7	57.2	8.5		0.15	0.6
			57.2	59.2	2.0		0.53	6.4
			59.2	64.4	5.2	4.4	2.14	2.1

Mine Site	Drill Hole ID	Vein System	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)	Ag (g/t)
		<i>includes</i>	59.2	63.4	4.2		1.69	2.1
			63.4	64.4	1.0		4.03	2.1
			64.4	65.4	1.0		0.33	0.9
			65.4	69.1	3.8		0.06	0.8
			69.1	80.8	11.7		NS	NS
Libertad	TR-21-042	Tranca	0.0	11.7	11.7		0.01	0.0
			11.7	12.2	0.5	0.4	1.10	1.4
			12.2	33.1	20.9		0.01	0.2
			33.1	88.2	55.2		NS	NS
			88.2	114.2	26.0		0.12	1.0
			114.2	125.0	10.8		NS	NS
Libertad	TR-21-043	Tranca	0.0	56.4	56.4		NS	NS
			56.4	67.6	11.2		0.01	0.6
			67.6	72.8	5.3		0.32	2.5
			72.8	74.7	1.9	0.9	1.41	3.1
			74.7	89.9	15.2		0.10	0.7
			89.9	105.2	15.2		NS	NS
Libertad	TR-21-044	Tranca	0.0	43.1	43.1		NS	NS
			43.1	63.2	20.1		0.08	0.9
			63.2	64.2	1.0	0.6	1.02	2.4
			64.2	75.3	11.1		0.12	1.2
			75.3	77.5	2.3	1.1	6.53	7.9
			77.5	85.3	7.8		0.49	2.8
			85.3	98.3	13.0		0.09	0.7
			98.3	115.8	17.6		NS	NS
Libertad	TR-21-045	Tranca	0.0	21.3	21.3		NS	NS
			21.3	33.7	12.4		0.08	0.7
			33.7	61.0	27.3		NS	NS
			61.0	79.0	18.0		0.07	0.9
			79.0	81.4	2.4	1.9	3.24	5.6
			81.4	86.9	5.5		0.01	0.3
			86.9	102.1	15.2		NS	NS
Libertad	TR-21-047	Tranca	0.0	57.4	57.4		NS	NS
			57.4	65.5	8.1		0.14	0.7
			65.5	86.0	20.5		NS	NS
			86.0	108.3	22.3		0.03	0.5
			108.3	124.5	16.1	9.5	1.71	3.0
		<i>includes</i>	108.3	111.3	3.0		1.37	3.5
			111.3	113.3	2.0		3.14	4.5
			113.3	115.8	2.5		1.65	3.6
			115.8	123.4	7.6		0.80	2.3
			123.4	124.5	1.0		6.80	1.8
			124.5	132.6	8.1		0.27	0.5
			132.6	166.1	33.5		NS	NS
Libertad	TR-21-049	Tranca	0.0	58.1	58.1		NS	NS
			58.1	66.4	8.3		0.06	0.5
			66.4	72.4	6.0	4.5	1.16	2.7
			72.4	74.6	2.2		0.48	3.0
			74.6	79.6	5.0		0.01	0.9
			79.6	91.4	11.9		NS	NS
Libertad	TR-21-050	Tranca	0.0	107.5	107.5		NS	NS

Mine Site	Drill Hole ID	Vein System	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)	Ag (g/t)
			107.5	116.7	9.2		0.02	0.2
			116.7	119.7	3.0		0.26	1.7
			119.7	123.7	4.0	2.8	2.23	3.5
			123.7	128.7	5.0		0.15	1.6
			128.7	133.0	4.3		0.50	1.6
			133.0	137.0	4.0		0.14	0.9
			137.0	161.5	24.6		NS	NS
Libertad	TR-21-052	Tranca	0.0	98.4	98.4		NS	NS
			98.4	125.7	27.3		0.02	0.2
			125.7	127.7	2.0		0.50	1.5
			127.7	134.3	6.6	4.4	13.83	10.1
		<i>includes</i>	127.7	129.7	2.0		2.11	3.0
			129.7	130.7	1.0		11.00	9.2
			130.7	131.7	1.0		72.40	43.9
			131.7	134.3	2.6		1.27	2.8
			134.3	138.3	4.0		0.05	0.2
			138.3	160.0	21.8		NS	NS
Libertad	NA-21-012	Nancite	0.0	27.5	27.5		NS	NS
			27.5	31.0	3.5		0.12	0.6
			31.0	35.5	4.5		0.52	0.9
			35.5	61.0	25.5		NS	NS
			61.0	66.5	5.5		0.20	1.0
			66.5	68.5	2.0	1.5	4.38	3.7
			68.5	70.5	2.0		0.02	0.2
			70.5	99.3	28.8		NS	NS
			99.3	103.3	4.0		0.09	0.5
			103.3	105.3	2.0		0.59	4.0
			105.3	109.3	4.0	2.8	1.50	2.6
			109.3	157.7	48.4		NS	NS
			157.7	167.4	9.8		0.08	1.3
			167.4	190.5	23.1		NS	NS
Libertad	NA-21-013	Nancite	0.0	58.4	58.4		NS	NS
			58.4	74.1	15.7		0.01	0.2
			74.1	76.1	2.0	1.5	2.30	1.1
			76.1	79.1	3.0		0.70	0.7
			79.1	87.1	8.0		0.05	0.3
			87.1	89.1	2.0	1.5	1.60	5.4
			89.1	90.1	1.0		0.14	0.5
			90.1	131.1	41.0		NS	NS
Libertad	NA-21-014	Nancite	0.0	58.3	58.3		NS	NS
			58.3	64.3	6.0		0.15	0.6
			64.3	65.8	1.5	1.3	1.76	0.9
			65.8	73.3	7.5		0.25	2.8
			73.3	76.3	3.0	2.6	1.51	3.6
			76.3	80.3	4.0		0.21	1.5
			80.3	106.7	26.4		NS	NS
Libertad	NA-21-015	Nancite	0.0	82.3	82.3		NS	NS
			82.3	86.3	4.0		0.02	0.4
			86.3	89.2	2.9		0.17	1.7
			89.2	93.2	4.0		0.01	0.4
			93.2	120.4	27.2		NS	NS

Mine Site	Drill Hole ID	Vein System	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)	Ag (g/t)
Libertad	NA-21-016	Nancite <i>includes</i>	0.0	26.4	26.4		NS	NS
			26.4	54.2	27.8		0.01	0.2
			54.2	153.5	99.3		NS	NS
			153.5	161.6	8.1		0.04	0.1
			161.6	166.6	5.0	3.9	1.11	7.9
			161.6	162.6	1.0		0.42	0.7
			162.6	163.6	1.0		2.87	32.1
			163.6	165.6	2.0		0.55	1.9
			165.6	166.6	1.0		1.16	2.9
			166.6	173.6	7.0		0.22	4.3
173.6	211.8	38.2		NS	NS			
Libertad	NA-21-017	Nancite	0.0	56.7	56.7		NS	NS
			56.7	58.2	1.5		0.03	0.8
			58.2	67.2	9.0		0.04	1.2
			67.2	91.4	24.2		NS	NS
			91.4	94.4	3.0		0.01	0.7
			94.4	101.4	7.0		0.14	0.3
			101.4	108.2	6.8		NS	NS
Libertad	NA-21-018	Nancite	0.0	239.9	239.9		NS	NS
			239.9	245.9	6.0		0.29	1.3
			245.9	246.9	1.0	0.7	1.04	0.8
			246.9	255.3	8.4		0.09	1.0
			255.3	274.3	19.1		NS	NS
Libertad	NA-21-019	Nancite	0.0	48.8	48.8		NS	NS
			48.8	82.4	33.6		0.01	0.1
			82.4	83.8	1.5	1.2	1.15	1.1
			83.8	96.8	13.0		0.06	0.8
			96.8	109.7	12.9		NS	NS

Libertad Infill Drilling

Mine Site	Drill Hole ID	Vein System	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)	Ag (g/t)
Libertad	RS-21-068	Rosario	0.0	118.9	118.9		NS	NS
			118.9	159.5	40.6		0.01	0.1
			159.5	163.5	4.0		0.21	2.3
			163.5	164.5	1.0	0.7	6.10	64.9
			164.5	168.0	3.5		1.32	3.0
			168.0	180.0	12.0		0.03	0.4
Libertad	RS-21-069	Rosario <i>includes</i>	0.0	29.0	29.0		NS	NS
			29.0	45.0	16.0		0.01	0.2
			45.0	113.8	68.8		NS	NS
			113.8	130.8	17.0		0.03	1.6
			130.8	140.6	9.8	7.3	2.34	9.6
			130.8	135.8	5.1		2.05	10.0
			135.8	137.2	1.4		6.60	14.6
			137.2	140.6	3.4		1.05	7.1
			140.6	152.6	12.1		0.08	1.7
			152.6	153.6	1.0	0.9	2.96	4.1
153.6	162.0	8.4		0.04	1.3			

Mine Site	Drill Hole ID	Vein System	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)	Ag (g/t)
			162.0	173.7	11.7		NS	NS
Libertad	RS-21-070	Rosario <i>includes</i>	0.0	52.3	52.3		NS	NS
			52.3	99.1	46.8		0.02	0.3
			99.1	110.6	11.5	8.0	3.67	29.7
			99.1	101.6	2.5		7.80	15.6
			101.6	102.6	1.0		0.31	4.2
			102.6	106.6	4.0		4.63	39.2
			106.6	108.6	2.0		0.21	10.0
			108.6	110.6	2.0		1.75	61.0
			110.6	114.6	4.0		0.11	3.3
114.6	125.0	10.3		NS	NS			
Libertad	RS-21-072	Rosario	0.0	51.9	51.9		0.01	0.3
			51.9	94.4	42.6		NS	NS
			94.4	100.4	6.0		0.02	0.5
			100.4	104.4	4.0	3.1	1.41	3.9
			104.4	128.4	24.0		0.03	0.4
			128.4	138.7	10.3		NS	NS
Libertad	RS-21-073	Rosario	0.0	11.5	11.5		NS	NS
			11.5	66.6	55.1		0.01	0.2
			66.6	68.6	2.0	1.7	0.62	5.9
			68.6	75.6	7.0		0.01	0.9
			75.6	96.0	20.4		NS	NS
Libertad	RS-21-076	Rosario	0.0	32.0	32.0		NS	NS
			32.0	73.1	41.1		0.07	3.0
			73.1	75.5	2.4	2.1	0.71	2.3
			75.5	83.4	7.8		0.01	0.2
			83.4	91.4	8.1		NS	NS
Libertad	RS-21-080	Rosario	0.0	152.6	152.6		NS	NS
			152.6	171.8	19.2		0.10	3.8
			171.8	175.0	3.2	2.0	1.74	6.5
			175.0	183.5	8.5		0.04	0.5
			183.5	198.1	14.6		NS	NS
Libertad	RS-21-082	Rosario <i>includes</i>	0.0	2.5	2.5		NS	NS
			2.5	45.9	43.4		0.04	1.2
			45.9	53.4	7.5	5.3	1.05	13.3
			45.9	48.9	3.0		1.07	19.9
			48.9	51.4	2.5		0.10	0.9
			51.4	53.4	2.0		2.19	18.8
			53.4	65.6	12.2		0.02	0.7
65.6	80.8	15.2		NS	NS			
Libertad	RS-21-083	Rosario	0.0	32.0	32.0		NS	NS
			32.0	61.0	29.0		0.01	0.4
			61.0	69.9	8.9		0.12	2.8
			69.9	74.9	5.0	3.6	2.96	17.4
			74.9	82.5	7.5		0.09	0.5
			82.5	94.9	12.5		NS	NS
Libertad	RS-21-084	Rosario	0.0	13.6	13.6		NS	NS
			13.6	57.0	43.4		0.02	0.2
			57.0	90.1	33.1		NS	NS
			90.1	112.8	22.7		0.08	0.6
			112.8	117.8	5.0	4.0	3.13	18.2

Mine Site	Drill Hole ID	Vein System	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)	Ag (g/t)
			117.8	119.8	2.0		0.36	1.4
			119.8	128.6	8.8		0.04	0.5
			128.6	151.0	22.4		NS	NS
Libertad	RS-21-085	Rosario	0.0	40.1	40.1		NS	NS
			40.1	66.8	26.7		0.02	1.5
			66.8	69.8	3.0		0.26	4.0
			69.8	72.8	3.0	2.4	4.02	7.9
			72.8	76.3	3.5		0.74	6.3
			76.3	81.3	5.0		0.00	0.2
			81.3	105.2	23.9		NS	NS
Libertad	RS-21-087	Rosario	0.0	6.7	6.7		NS	NS
			6.7	22.2	15.6		0.00	0.1
			22.2	38.7	16.5		0.01	0.7
			38.7	39.7	1.0	0.7	0.99	13.9
			39.7	52.9	13.2		0.21	3.5
			52.9	76.2	23.4		0.02	0.2
Libertad	RS-21-088	Rosario	0.0	34.3	34.3		NS	NS
			34.3	50.5	16.2		0.01	0.2
			50.5	74.7	24.2		NS	NS
			74.7	100.1	25.4		0.04	0.2
			100.1	110.1	10.0	6.5	2.16	20.9
		<i>includes</i>	100.1	103.6	3.5		2.80	33.0
			103.6	106.4	2.8		0.69	8.5
			106.4	110.1	3.7		2.68	18.9
			110.1	116.3	6.1		0.0	1.5
			116.3	132.6	16.3		NS	NS
Libertad	JB-21-536	Jabali Zone IV	0.0	17.4	17.4		NS	NS
			17.4	27.4	10.0		0.01	0.5
			27.4	30.4	3.0		0.22	9.5
			30.4	34.4	4.0	3.3	5.45	40.0
		<i>includes</i>	30.4	31.4	1.0		1.91	22.0
			31.4	33.4	2.0		8.66	62.5
			33.4	34.4	1.0		2.56	13.0
			34.4	38.1	3.7		0.14	2.5
			38.1	43.1	5.0		0.42	12.9
			43.1	57.4	14.3		0.01	0.5
Libertad	JB-21-537	Jabali Zone IV	0.0	8.7	8.7		NS	NS
			8.7	44.6	35.9		0.01	0.3
			44.6	45.6	1.0	0.8	51.90	42.0
			45.6	47.6	2.0		0.53	4.4
			47.6	52.6	5.0		0.29	19.7
			52.6	55.8	3.2	2.9	3.50	91.9
			55.8	59.5	3.8		0.55	10.1
			59.5	63.2	3.7		0.03	0.9
Pavon	PVN-21-053	Pavon North	0.0	54.8	54.8		NS	NS
			54.8	90.7	36.0		0.03	0.2
			90.7	91.7	1.0	0.8	1.79	10.0
			91.7	118.3	26.6		0.05	0.4
			118.3	120.5	2.2		NS	NS
Pavon	PVN-21-054	Pavon North	0.0	52.7	52.7		NS	NS
			52.7	54.5	1.8		0.03	0.2

Mine Site	Drill Hole ID	Vein System	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)	Ag (g/t)
			54.5	76.0	21.6		NS	NS
			76.0	92.3	16.3		0.03	0.8
			92.3	95.8	3.5		0.30	1.0
			95.8	101.2	5.5		0.06	0.8
			101.2	106.0	4.8	3.9	1.70	9.7
			106.0	115.8	9.8		0.05	0.8
			115.8	138.8	23.0		NS	NS
Pavon	PVN-21-055	Pavon North	0.0	12.7	12.7		NS	NS
			12.7	82.4	69.7		0.00	0.2
			82.4	110.1	27.8		NS	NS
			110.1	121.8	11.7		0.06	0.5
			121.8	131.4	9.6	7.1	1.21	9.3
		<i>includes</i>	121.8	123.5	1.7		1.30	5.6
			123.5	127.2	3.7		0.35	2.6
			127.2	131.4	4.2		1.94	16.8
			131.4	142.9	11.6		0.11	1.3
			142.9	151.0	8.1		NS	NS
Pavon	PVN-21-056	Pavon North	0.0	36.5	36.5		NS	NS
			36.5	40.9	4.4		0.13	1.3
			40.9	47.1	6.2	5.3	2.48	10.2
			47.1	57.8	10.8		0.17	1.6
			57.8	66.5	8.7	7.5	1.30	7.4
			66.5	69.3	2.8		0.45	3.1
			69.3	93.0	23.7		0.06	0.4
			93.0	112.9	19.8		NS	NS

Libertad Historic Exploration Drilling

Mine Site	Drill Hole ID	Vein System	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)	Ag (g/t)
La Libertad	VN-12-003	Volcan	0.0	29.0	29.0		NS	NS
			29.0	48.8	19.9		0.04	0.4
			48.8	52.1	3.3	3.2	4.96	2.3
		<i>includes</i>	48.8	51.1	2.3		3.88	2.2
			51.1	51.6	0.5		0.81	0.8
			51.6	52.1	0.5		14.05	4.3
			52.1	92.8	40.7		0.03	0.2
			92.8	93.8	1.1	1.0	4.04	3.4
			93.8	110.8	17.0		0.01	0.1
			110.8	135.0	24.2		NS	NS
La Libertad	VN-12-005	Volcan	0.0	21.0	21.0		NS	NS
			21.0	104.8	83.8		0.0	0.3
			104.8	106.2	1.5	1.4	1.98	1.4
			106.2	155.2	49.0		0.03	0.3
			155.2	156.0	0.8	0.8	1.94	1.2
			156.0	209.0	53.1		0.01	0.2
			209.0	220.7	11.7		NS	NS
La Libertad	VN-17-009	Volcan	0.0	31.7	31.7		0.03	0.5
			31.7	38.0	6.3		0.22	0.4
			38.0	49.0	11.0	10.7	9.69	2.7

Mine Site	Drill Hole ID	Vein System	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)	Ag (g/t)
		<i>includes</i>	38.0	38.6	0.6		6.72	1.8
			38.6	40.3	1.7		25.52	6.2
			40.3	40.7	0.5		5.79	1.8
			40.7	42.1	1.4		30.67	7.2
			42.1	44.6	2.5		0.54	0.4
			44.6	49.0	4.5		3.18	1.4
			49.0	119.4	70.4		0.05	0.2
La Libertad	VN-17-011	Volcan	0.0	0.7	0.7		NS	NS
			0.7	42.7	42.0		0.01	0.2
			42.7	111.4	68.7		NS	NS
			111.4	120.0	8.6		0.03	0.2
			120.0	122.2	2.2	2.1	0.75	1.0
			122.2	199.5	77.4		0.03	0.2
			199.5	201.2	1.6		NS	NS
La Libertad	VN-17-012	Volcan	0.0	45.3	45.3		0.08	0.4
		<i>includes</i>	45.3	49.6	4.3	4.2	3.56	2.1
			45.3	47.3	2.0		1.08	0.9
			47.3	49.6	2.3		5.66	3.1
			49.6	118.0	68.4		0.09	0.3
			118.0	132.6	14.6		NS	NS
La Libertad	VN-17-013	Volcan	0.0	36.6	36.6		0.05	0.7
		<i>includes</i>	36.6	41.2	4.6	4.5	10.56	9.8
			36.6	39.6	3.0		15.20	10.0
			39.6	41.2	1.5		1.33	9.4
			41.2	92.4	51.3		0.13	0.3
			92.4	94.0	1.6	1.5	3.18	1.5
			94.0	143.6	49.6		0.03	0.1
			143.6	150.9	7.3		NS	NS
La Libertad	VN-17-014	Volcan	0.0	0.0	0.0		NS	NS
			0.0	21.4	21.4		0.16	1.2
			21.4	22.9	1.5	1.5	0.77	0.4
			22.9	136.2	113.4		0.04	0.2
			136.2	137.3	1.1	1.1	1.24	0.9
			137.3	182.5	45.2		0.01	0.1
			182.5	185.9	3.5		NS	NS
La Libertad	VN-17-015A	Volcan	0.0	89.9	89.9		NS	NS
			89.9	109.3	19.4		0.10	0.5
			109.3	111.9	2.7	2.6	1.50	1.9
			111.9	126.8	14.9		0.4	1.0
			126.8	237.7	110.8		0.02	0.2
			237.7	241.6	3.9		NS	NS
La Libertad	VN-17-018	Volcan	0.0	0.7	0.7		NS	NS
			0.7	51.9	51.2		0.01	0.7
			51.9	55.9	4.0	3.9	1.55	1.9
			55.9	62.8	6.9		0.13	0.9
		<i>includes</i>	62.8	67.1	4.3	4.2	2.38	3.3
			62.8	63.7	0.9		8.86	4.8
			63.7	66.1	2.4		0.09	2.7
			66.1	67.1	1.0		2.05	3.4
			67.1	169.6	102.6		0.05	0.9
			169.6	185.3	15.7		0.21	0.8

Mine Site	Drill Hole ID	Vein System	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)	Ag (g/t)
			185.3	199.0	13.7		NS	NS
			199.0	200.3	1.4		0.07	0.5
			200.3	201.3	1.0	1.0	1.27	1.3
			201.3	207.0	5.7		0.28	0.7
			207.0	225.6	18.6		0.03	0.3
			225.6	234.1	8.6		NS	NS
La Libertad	VN-17-019	Volcan	0.0	0.5	0.5		NS	NS
			0.5	13.3	12.8		0.05	0.9
			13.3	14.4	1.1	1.1	1.92	0.6
			14.4	20.2	5.8		0.19	0.2
			20.2	21.6	1.4	1.3	3.48	1.2
			21.6	33.2	11.7		0.47	0.8
			33.2	36.1	2.9	2.8	2.96	2.4
			36.1	39.9	3.8		0.15	3.1
			39.9	146.3	106.5		0.03	0.5
La Libertad	VN-17-020A	Volcan	0.0	0.4	0.4		NS	NS
			0.4	39.3	39.0		0.01	0.4
			39.3	58.6	19.3		0.15	1.0
			58.6	60.5	1.9	1.9	1.67	1.5
			60.5	63.9	3.4		0.20	1.8
			63.9	65.2	1.3	1.3	3.09	1.4
			65.2	70.0	4.8		0.31	1.1
			70.0	71.2	1.2	1.2	3.31	1.2
			71.2	122.7	51.5		0.03	0.6
			122.7	123.4	0.8		NS	NS
La Libertad	VN-17-021	Volcan	0.0	0.0	0.0		NS	NS
			0.0	107.0	107.0		0.02	0.6
			107.0	111.2	4.2	4.1	5.78	3.4
		<i>includes</i>	107.0	107.6	0.6		32.30	10.2
			107.6	108.9	1.4		0.17	1.7
			108.9	109.5	0.6		3.60	2.4
			109.5	110.0	0.5		1.37	2.9
			110.0	111.2	1.2		2.17	2.8
			111.2	127.6	16.4		0.12	1.0
			127.6	129.3	1.7	1.7	1.48	2.7
			129.3	145.6	16.3		0.23	1.8
			145.6	178.3	32.7		0.01	0.3

Pavon Exploration Drilling

Mine Site	Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)	Ag (g/t)
Pavon	PVC-21-037	Pavon Central	0.0	36.0	36.0		NS	NS
			36.0	42.0	6.0		0.16	1.2
			42.0	43.0	1.0	0.8	1.73	13.7
			43.0	163.0	120.0		0.04	0.5
			163.0	186.1	23.1		NS	NS
Pavon	PVC-21-038	Pavon Central	0.0	70.0	70.0		NS	NS
			70.0	241.0	171.0		0.04	1.8
Pavon	PVC-21-039	Pavon Central	0.0	24.8	24.8		NS	NS
			24.8	61.0	36.3		0.00	0.0

			61.0	134.5	73.5		NS	NS
			134.5	135.5	1.0		0.06	0.8
			135.5	137.0	1.5	1.1	1.22	2.3
			137.0	184.7	47.7		0.03	1.0
			184.7	186.4	1.8		0.18	0.8
			186.4	259.3	72.9		0.03	1.0
Pavon	PVC-21-040	Pavon Central	0.0	150.0	150.0		NS	NS
			150.0	175.4	25.4		0.05	1.3
			175.4	177.4	2.0	1.5	1.26	4.0
			177.4	193.4	16.0		0.32	1.9
			193.4	206.9	13.5		0.06	0.5
			206.9	208.8	1.9		0.76	0.8
			208.8	228.4	19.6		0.02	0.3
			228.4	233.3	5.0		NS	NS
Pavon	PVN-21-042	Candida	0.0	5.2	5.2		NS	NS
			5.2	76.0	70.9		0.02	0.1
			76.0	78.0	2.0	1.7	1.84	2.5
			78.0	96.0	18.0		0.08	0.4
			96.0	125.1	29.1		NS	NS
Pavon	PVN-21-043	Candida	0.0	10.0	10.0		NS	NS
			10.0	42.0	32.0		0.04	0.2
			42.0	45.0	3.0	2.3	0.70	6.2
			45.0	54.0	9.0		0.03	0.2
			54.0	74.7	20.7		NS	NS
Pavon	PVN-21-044	Candida	0.0	17.7	17.7		NS	NS
			17.7	93.0	75.3		0.02	0.1
			93.0	95.0	2.0	1.4	2.26	2.0
			95.0	103.0	8.0		0.04	0.5
			103.0	129.6	26.6		NS	NS
Pavon	PVN-21-045	Candida	0.0	16.8	16.8		NS	NS
			16.8	90.8	74.0		0.03	0.2
			90.8	92.8	2.0	1.6	1.24	2.3
			92.8	107.2	14.4		0.03	0.1
			107.2	132.7	25.5		NS	NS
Pavon	PVN-21-046	Candida	0.0	15.0	15.0		NS	NS
			15.0	97.0	82.0		0.01	0.1
			97.0	123.5	26.5		NS	NS
Pavon	PVN-21-047	Candida	0.0	20.0	20.0		NS	NS
			20.0	52.0	32.0		0.07	0.4
			52.0	112.9	60.9		NS	NS
Pavon	PVN-21-048	Candida	0.0	62.5	62.5		NS	NS
			62.5	175.0	112.5		0.02	0.2
			175.0	176.9	1.9		NS	NS
Pavon	PVN-21-049	Candida	0.0	6.1	6.1		0.00	0.1
			6.1	62.8	56.7		NS	NS
			62.8	100.6	37.8		0.07	0.3
			100.6	102.3	1.7	1.4	1.47	3.3
			102.3	106.3	4.0		0.09	0.7
			106.3	143.4	37.1		NS	NS
Pavon	PVN-21-050	Candida	0.0	32.4	32.4		0.04	0.1
			32.4	56.2	23.8		NS	NS
			56.2	61.4	5.2		0.01	0.2
			61.4	107.0	45.7		NS	NS

			107.0	139.7	32.7		0.02	0.2	
			139.7	142.8	3.2	2.1	0.99	1.5	
			142.8	153.1	10.3		0.27	0.4	
			153.1	180.0	26.9		NS	NS	
Pavon	PVN-21-051	Candida	0.0	13.3	13.3		NS	NS	
			13.3	70.4	57.1		0.02	0.1	
			70.4	101.1	30.8		NS	NS	
			101.1	107.0	5.9		0.10	0.3	
			107.0	109.7	2.7	2.0	3.98	5.1	
			<i>includes</i>	107.0	108.0	1.0		1.03	5.6
				108.0	108.7	0.7		10.70	10.1
				108.7	109.7	1.0		2.24	1.2
				109.7	114.8	5.1		0.04	0.2
		114.8	132.7	17.9		NS	NS		
Pavon	PVN-21-052	Candida	0.0	22.8	22.8		NS	NS	
			22.8	39.6	16.8		0.02	0.4	
			39.6	57.4	17.9		NS	NS	
			57.4	73.2	15.8		0.06	0.3	
			73.2	78.9	5.7		0.30	1.3	
			78.9	82.4	3.6	1.7	2.29	4.5	
			<i>includes</i>	78.9	80.1	1.3		4.20	5.9
				80.1	82.4	2.3		1.21	3.7
				82.4	85.1	2.7		0.39	3.3
		85.1	103.5	18.4		0.07	0.4		
		103.5	125.1	21.6		NS	NS		

Drill Hole Collar Coordinates

Drill Hole ID	Vein System	UTM East (m)	UTM North (m)	Elevation (masl)	Total Depth (m)	Azimuth (degrees)	Dip (degrees)
JB-20-532	Jabali Zone IV	707490	1356034	537	436	180	-55
JB-21-534	Jabali Zone I	708360	1355780	309	231	316	-24
JB-21-535	Jabali Zone I	708343	1355818	312	175	328	-31
JB-21-536	Jabali Zone IV	707561	1355716	337	57	335	24
JB-21-537	Jabali Zone IV	707561	1355714	338	63	318	70
RS-21-071	Rosario	691003	1349622	540	160	157	-46
RS-21-074	Rosario	690948	1349542	546	142	157	-45
RS-21-075	Rosario	690948	1349542	546	187	158	-66
RS-21-077	Rosario	692089	1350081	622	157	157	-42
RS-21-078	Rosario	692208	1350105	629	131	157	-49
RS-21-079	Rosario	692309	1350163	624	130	153	-45
RS-21-081	Rosario	692494	1350277	600	105	157	-45
RS-21-068	Rosario	691179	1349763	530	204	156	-51
RS-21-069	Rosario	691136	1349713	539	174	156	-53
RS-21-070	Rosario	691160	1349706	548	125	160	-45
RS-21-072	Rosario	691077	1349623	536	139	157	-66
RS-21-073	Rosario	691077	1349622	536	96	157	-46
RS-21-076	Rosario	691574	1349876	570	91	157	-45
RS-21-080	Rosario	691445	1349661	601	198	336	-50
RS-21-082	Rosario	691377	1349776	565	81	157	-50
RS-21-083	Rosario	691339	1349773	562	95	157	-50
RS-21-084	Rosario	691300	1349789	549	151	157	-50
RS-21-085	Rosario	691286	1349745	560	105	157	-50
RS-21-087	Rosario	691239	1349699	562	76	155	-56
RS-21-088	Rosario	691190	1349715	551	133	158	-51
VN-12-003	Volcán	694441	1349740	641	135	165	-45
VN-12-005	Volcán	694529	1349825	615	221	165	-65
VN-17-009	Volcán	693285	1349294	676	119	359	-46
VN-17-011	Volcán	693657	1349514	667	201	180	-45
VN-17-012	Volcán	693567	1349513	657	133	180	-47
VN-17-013	Volcán	693399	1349463	666	151	150	-46
VN-17-014	Volcán	693379	1349323	691	186	335	-45
VN-17-015A	Volcán	693285	1349269	667	242	360	-45
VN-17-018	Volcán	694509	1349743	639	234	124	-40
VN-17-019	Volcán	694503	1349680	646	146	146	-45
VN-17-020A	Volcán	694474	1349721	644	123	145	-45
VN-17-021	Volcán	694431	1349782	639	178	145	-45
VN-21-026	Volcán	694530	1349802	619	114	125	-48
VN-21-027	Volcán	694425	1349810	643	219	129	-45
VN-21-028	Volcán	694345	1349796	642	232	127	-52
VN-21-029	Volcán	694322	1349805	638	195	172	-53
VN-21-030A	Volcán	694476	1349915	636	210	126	-47
VN-21-032	Volcán	693479	1349510	655	105	173	-45
TR-21-029	Tranca	705542	1354294	626	221	171	-46
TR-21-030	Tranca	705500	1354181	617	100	180	-66
TR-21-031	Tranca	705620	1354093	643	146	0	-50
TR-21-032	Tranca	705364	1354116	628	128	0	-50
TR-21-033	Tranca	705234	1354281	615	200	167	-45
TR-21-034	Tranca	705099	1354263	614	195	191	-47
TR-21-035	Tranca	704853	1354239	596	166	190	-52
TR-21-036	Tranca	706109	1354195	608	101	198	-47

Drill Hole ID	Vein System	UTM East (m)	UTM North (m)	Elevation (masl)	Total Depth (m)	Azimuth (degrees)	Dip (degrees)
TR-21-037	Tranca	706144	1354201	611	123	178	-49
TR-21-038	Tranca	706203	1354186	612	116	181	-50
TR-21-039	Tranca	705680	1354133	630	85	0	-50
TR-21-040	Tranca	705709	1354215	617	94	179	-50
TR-21-041	Tranca	705729	1354205	612	81	164	-46
TR-21-042	Tranca	705761	1354104	603	125	360	-45
TR-21-043	Tranca	705789	1354134	598	105	20	-54
TR-21-044	Tranca	705854	1354128	596	116	358	-51
TR-21-045	Tranca	705919	1354219	597	102	179	-49
TR-21-047	Tranca	705359	1354091	634	166	3	-50
TR-21-049	Tranca	705269	1354207	606	91	172	-48
TR-21-050	Tranca	705217	1354244	615	162	180	-50
TR-21-052	Tranca	705124	1354237	612	160	180	-50
NA-21-012	Nancite	704868	1353999	564	191	167	-54
NA-21-013	Nancite	704832	1353963	571	131	173	-53
NA-21-014	Nancite	704759	1353935	573	107	195	-51
NA-21-015	Nancite	704595	1353932	583	120	168	-45
NA-21-016	Nancite	704493	1353954	570	212	164	-58
NA-21-017	Nancite	704489	1353877	578	108	174	-62
NA-21-018	Nancite	704652	1354057	566	274	173	-51
NA-21-019	Nancite	704405	1353879	582	110	164	-46
PVC-21-037	Pavon Central	665752	1467471	467	186	271	-45
PVC-21-038	Pavon Central	665580	1467346	502	241	79	-50
PVC-21-039	Pavon Central	665610	1467275	487	259	79	-50
PVC-21-040	Pavon Central	665614	1467241	480	233	87	-45
PVN-21-053	Pavon North	666025	1469796	596	120	82	-48
PVN-21-054	Pavon North	666000	1469819	594	139	70	-47
PVN-21-055	Pavon North	665999	1469787	589	151	71	-50
PVN-21-056	Pavon North	666133	1469472	551	113	71	-50
PVN-21-042	Candida	666498	1469377	545	125	32	-45
PVN-21-043	Candida	666590	1469332	513	75	32	-45
PVN-21-044	Candida	666530	1469333	514	130	32	-45
PVN-21-045	Candida	666645	1469236	487	133	32	-45
PVN-21-046	Candida	666813	1469264	470	124	212	-45
PVN-21-047	Candida	666717	1469219	480	113	32	-45
PVN-21-048	Candida	666754	1469356	508	177	212	-45
PVN-21-049	Candida	666570	1469290	494	143	32	-45
PVN-21-050	Candida	666477	1469333	539	180	32	-45
PVN-21-051	Candida	666406	1469423	588	133	32	-45
PVN-21-052	Candida	666442	1469561	548	125	212	-45